## Winston Hickox Secretary for Environmental Protection

## California Regional Water Quality Control Board

San Diego Region



Internet Address: http://www.swrcb.ca.gov/~rwqcb9 9771 Clairemont Mesa Boulevard, Suite A, San Diego, California 92124-1324 Phone (619) 467-2952 • FAX (619) 571-6972

N00247.000707 NTC SAN DIEGO SSIC NO. 5090.3

January 27, 1999

Mr. Keith Forman BRAC Environmental Coordinator BRAC Program Office, Code 05BS.KF 1420 Kettner Boulevard, Suite 501 San Diego, CA 92101-2404

Dear: Mr. Forman

FINAL ENGINEERING EVALUATION/COST ANALYSIS (EE/CA) NON-TIME -CRITICAL REMOVAL ACTION FOR IR SITE 14 (formerly POI 29, Former Small Arms Range No. 2) NAVAL TRAINING CENTER, SAN DIEGO, CALIFORNIA

Regional Water Quality Control Board (RWQCB) staff has completed our review of the Engineering Evaluation/Cost Analysis (EE/CA) Non-Time Critical Removal Action for the subject site, dated December 30, 1998. The report was prepared by Bechtel National Inc. on behalf of the Southwest Division (SWDiv) Naval Facilities Engineering Command. Based on our review of the subject document the RWQCB staff concurs with the recommendation of Alternative 1, excavation, off-site disposal of lead contaminated soil associated with the Former Small Arms Range No. 2 located at the Naval Training Center, San Diego.

Please contact Mr. Corey Walsh of our office at (619) 467-2980 if you have any questions regarding this matter.

Sincerely,

WHN H. ROBERTUS

**Executive Officer** 

San Diego Regional Water Quality Control Board

NTC/site14/ee-ca.doc

FILE NO. 30-0092 (Site 14)

Ms. Content Arnold, Remedial Project Manager, BRAC Operations Office, Code 05BS.CA, 1420 Kettner Blvd. Suite 501, San Diego, CA 92101-2404

Mr. John J. Adams, Jr. State Water Resources Control Board, Division of Clean Water Programs, 2014 T Street, Suite 130, Sacramento, CA 95814

Mr. Martin Hausladen, U.S. EPA, Region IX, (H-9-2), Hazardous Waste Management Division, 75 Hawthorne Street, San Francisco, CA 94105-3901

California Environmental Protection Agency

